IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) An implantable device comprising:

an autonomic tone sensor to provide a tone signal as a function of a sympathetic nervous system and as a function of a parasympathetic nervous system for a predetermined period of time;

an activity sensor to provide an activity signal as a function of physical activity corresponding to the predetermined period; and

an information processing unit connected to the autonomic tone sensor and connected to the activity sensor and adapted to generate an output signal <u>based upon a relationship between the tone signal and the activity signal reflective as to how the tone signal varies with the activity signal, establish a baseline that correlates different tone signals with different activity signals over a predetermined period of time, compare the output signal to the [[a]] baseline value, and classify a patient's health status based upon the comparison.</u>

- 2. (Original) The device of claim 1 wherein the autonomic tone sensor includes at least one sensor selected from any combination of a group including a heart rate sensor, a nerve electrode, a biochemical sensor, a ventilation sensor and a muscle activity sensor.
- 3. (Original) The device of claim 1 wherein the activity sensor includes an adaptive rate therapy sensor.
- 4. (Original) The device of claim 1 wherein the activity sensor includes at least one sensor selected from any combination of a group including a minute ventilation sensor, an accelerometer, a respiratory sensor, a QT interval sensor, an impedance sensor, a contractility sensor and a depolarization sensor.
- 5. (Original) The device of claim 1 further including a telemetry circuit connected to the information processing unit to communicate with a remote device.

Title: SYSTEM AND METHOD FOR MONITORING AUTONOMIC BALANCE AND PHYSICAL ACTIVITY

6. (Original) The device of claim 1 further including a therapy circuit connected to the information processing unit.

- 7. (Original) The device of claim 6 wherein the therapy circuit includes a pulse generator.
- The device of claim 1 further including a memory connected to the information 8. (Original) processing unit and adapted to store a code as a function of the output signal.
- 9. (Original) The device of claim 1 wherein the autonomic tone sensor includes an implanted electrical lead.
- 10. (Original) The device of claim 1 wherein the information processing unit includes a processor.
- 11-19. (Canceled)
- 20. (Currently Amended) A method comprising:

generating an autonomic tone signal as a function of autonomic tone detected during an epoch using an implantable sensor;

obtaining an activity signal as a function of physical activity during the epoch; and generating an output signal based upon a relationship between the tone signal and the activity signal reflective as to how the tone signal varies with the activity signal, establishing a baseline that correlates different tone signals with different activity signals over a predetermined period of time, compare comparing the output signal to the [[a]] baseline value, and classify classifying a patient's health status based upon the comparison.

21. (Original) The method of claim 20 wherein generating an autonomic tone signal includes determining heart rate variability.

Title: SYSTEM AND METHOD FOR MONITORING AUTONOMIC BALANCE AND PHYSICAL ACTIVITY

22. (Original) The method of claim 21 wherein determining heart rate variability includes measuring intervals between successive heart beats.

- 23. (Original) The method of claim 20 wherein obtaining the activity signal includes receiving a minute ventilation signal.
- 24. (Original) The method of claim 23 wherein receiving the minute ventilation signal includes determining an impedance.
- 25. (Original) The method of claim 20 wherein obtaining the activity signal includes receiving an acceleration signal.
- 26. (Original) The method of claim 20 further including classifying the autonomic tone signal as a function of the activity signal for the epoch.
- 27. (Previously Presented) The method of claim 26 further including comparing the epoch with stored data accessible to an implantable processor.
- 28. (Original) The method of claim 27 wherein the stored data includes data derived from a selected population.
- 29. (Original) The method of claim 20 wherein generating an output signal includes providing a warning.